

### **REMARKS**

Claims 1-40 are now pending in the application. Applicant has amended claims 1, 2, 10, 19, 28, and 37-40 and cancelled claims 41-44, 46-52, and 54-59 without prejudice. Applicant requests reconsideration of this application in view of the foregoing amendments and the following remarks.

Claims 1, 7-10, 16-19, 25-28, 34-40, 52, and 54-59 stand rejected as being unpatentable over Perlman (U.S. Patent No. 5,558,339; "Perlman"). This rejection is rendered moot with regard to Claims 52 and 54-59 in view of Applicant having cancelled these claims without prejudice.


Claims 41-44 and 46-51 stand rejected as being unpatentable over Perlman in view of Teshima et al. (U.S. Patent No. 5,273,288; "Teshima"). This rejection is rendered moot in view of Applicant having cancelled these claims without prejudice.

Claims 2-6, 11-15, 20-24, and 29-33 stand rejected as being unpatentable over Perlman in view of Teshima and further in view of Golad (U.S. Patent No. 6,231,441; "Golad").

Each of the pending claims recite, in substance, that each of two communication terminals accesses its own telephone number from one memory location and the other terminal's telephone number from another memory location, and displays both telephone numbers at the same time. The cited prior art fails to teach or suggest such limitations. As such, the independent claims, as amended, as well as the claims that depend therefrom, are allowable over the art or record.

For the reasons set forth above, all of the pending claims are patentable over the references of record and are now in condition for allowance. An early allowance of the all claims is earnestly solicited.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Neil G. Cohen", is written over a horizontal line.

Neil G. Cohen (Reg. No. 35,100)  
Interactive Telegames LLC  
Montebello Park  
75 Montebello Road  
Suffern, NY 10901

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**IN THE CLAIMS**

Please amend the claims as follows:

1. (Twice Amended) A method of identifying game players and game moves, comprising:

in a first communication terminal having a first and a second memory location, storing a telephone number of said first communication terminal in said first memory location;

in a second communication terminal having a third memory location and a fourth memory location, storing a telephone number of said second communication terminal in said third memory location;

dialing at [a] said first communication terminal, a telephone number of [a] said second communication terminal;

storing said dialed telephone number in said second memory location;

establishing a communications link between said first and second terminals;

storing said telephone number of said first communication terminal in said fourth memory location;

[activating at each of said terminals, a game mode to play a game between a first player associated with said first terminal and a second player associated with said second terminal;]

displaying at each of said terminals, [a] said telephone number of said first terminal retrieved from said first and fourth memory locations; and

displaying at each of said terminals, said dialed telephone number retrieved from said second and third memory locations while said telephone number of said first terminal is being displayed.

2. (Amended) The method of claim 1, further comprising:

activating at each of said terminals, a game mode to play a game between a first player associated with said first terminal and a second player associated with said second terminal;  
defining a plurality of identifiers used to differentiate between said first and second players;  
activating a first indicator representing said first player;  
activating a second indicator representing said second player;  
indicating at each of said terminals, which player is currently authorized to send a game move instruction;  
receiving said instruction from said authorized player; and  
displaying at each of said terminals, a game move and identifier associated with said received instruction.

10. (Twice Amended) A method of identifying game players and game moves, comprising:

in a first communication terminal having a first and a second memory location, storing a telephone number of said first communication terminal in said first memory location;

in a second communication terminal having a third memory location and a fourth memory location, storing a telephone number of said second communication terminal in said third memory location;

receiving at [a] said second communication terminal, a telephone number of [a] said first communication terminal;

storing said received telephone number in said fourth memory location;

establishing a communications link between said first and second terminals;

storing a telephone number of said second communication terminal in said second memory location;

activating at each of said terminals, a game mode to play a game between a first

player associated with said first terminal and a second player associated with said second terminal;

displaying at each of said terminals, said received telephone number; and

displaying at each of said terminals, [a] said telephone number of said second terminal while said received telephone number is being displayed.

19. (Twice Amended) Apparatus for identifying game players and game moves, comprising:

a first communication terminal having a first and a second memory location, wherein said first memory location stores a telephone number of the first communication terminal;

a second communication terminal having a third and a fourth memory location, wherein said third memory location stores a telephone number of the second communication terminal;

means for dialing at a first communication terminal, a telephone number of a second communication terminal;

means for storing said dialed telephone number in said second memory location;

means for establishing a communications link between said first and second terminals;

means for storing said telephone number of said first communication terminal in said fourth memory location; and

means for activating at each of said terminals, a game mode to play a game between a first player associated with said first terminal and a second player associated with said second terminal;

means for displaying at each of said terminals, [a] said telephone number of said first terminal; and

means for displaying at each of said terminals, said dialed telephone number while said telephone number of said first terminal is being displayed.

28. (Twice Amended) Apparatus for identifying game players and game moves, comprising:

a first communication terminal having a first and a second memory location, wherein said first memory location stores a telephone number of the first communication terminal;

a second communication terminal having a third and a fourth memory location, wherein said third memory location stores a telephone number of the second communication terminal;

means for receiving at a second communication terminal, a telephone number of [a] said first communication terminal;

means for storing said received telephone number in said fourth memory location;

means for establishing a communications link between said first and second terminals;

means for storing a telephone number of said second communication terminal in said second memory location;

means for activating at each of said terminals, a game mode to play a game between a first player associated with said first terminal and a second player associated with said second terminal;

means for displaying at each of said terminals, said received telephone number; and

means for displaying at each of said terminals, [a] said telephone number of said second terminal while said received telephone number is being displayed.

37. (Twice Amended) A method of identifying game players and game moves, comprising:

in a first communication terminal having a first and a second memory location, storing a telephone number of said first communication terminal in said first memory location;

in a second communication terminal having a third memory location and a fourth memory location, storing a telephone number of said second communication terminal in said third memory location;

receiving at [a] said second communication terminal, a telephone number of [a] said first communication terminal;

storing said received telephone number in said fourth memory location;

storing a telephone number of said second communication terminal in said second memory location;

displaying at each of said terminals, said received telephone number; and

displaying at each of said terminals, [a] said telephone number of said second terminal while said received telephone number is being displayed.

38. (Twice Amended) Apparatus for identifying game players and game moves, comprising:

a first communication terminal having a first and a second memory location, wherein said first memory location stores a telephone number of the first communication terminal;

a second communication terminal having a third and a fourth memory location, wherein said third memory location stores a telephone number of the second communication terminal;

means for receiving at [a] said second communication terminal, a telephone number of [a] said first communication terminal;

means for storing said received telephone number in said fourth memory location;

means for storing a telephone number of said second communication terminal in said second memory location;

means for displaying at each of said terminals, said received telephone number; and

means for displaying at each of said terminals, [a] said telephone number of said second terminal while said received telephone number is being displayed.

39. (Twice Amended) A method of identifying game players and game moves, comprising:

in a first communication terminal having a first and a second memory location, storing a telephone number of said first communication terminal in said first memory location;

in a second communication terminal having a third memory location and a fourth memory location, storing a telephone number of said second communication terminal in said third memory location;

dialing at [a] said first communication terminal, a telephone number of [a] said second communication terminal;

storing said dialed telephone number in said second memory location;

storing a telephone number of said first communication terminal in said fourth memory location;

displaying at each of said terminals, [a] said telephone number of said first terminal; and

displaying at each of said terminals, said dialed telephone number while said telephone number of said first terminal is being displayed.

40. (Twice Amended) Apparatus for identifying game players and game moves, comprising:



a first communication terminal having a first and a second memory location, wherein said first memory location stores a telephone number of the first communication terminal;

a second communication terminal having a third and a fourth memory location, wherein said third memory location stores a telephone number of the second communication terminal;

means for dialing at [a] said first communication terminal, a telephone number of [a] said second communication terminal;

means for storing said dialed telephone number in said second memory location;

means for storing a telephone number of said first communication terminal in said fourth memory location;

means for displaying at each of said terminals, [a] said telephone number of said first terminal; and

means for displaying at each of said terminals, said dialed telephone number while said telephone number of said first terminal is being displayed.

Please cancel Claims 41-44, 46-52 and 54-59 without prejudice.